

## Safety Data Sheet

This safety data sheet complies with the requirements of: 2012 OSHA Hazard Communication Standard ( 29CFR 1910.1200)

**Product name** CHEMGUARD C335 3x3 AR-AFFF

### 1. Identification

#### 1.1. Product Identifier

**Product name** CHEMGUARD C335 3x3 AR-AFFF

#### 1.2. Other means of identification

**Product code** 704164  
**Synonyms** None  
**Chemical Family** No information available

#### 1.3. Recommended use of the chemical and restrictions on use

**Recommended use** Fire extinguishing agent.  
**Uses advised against** Consumer use.

#### 1.4. Details of the Supplier of the Safety Data Sheet

**Company Name** Tyco Fire Protection Products  
One Stanton Street  
Marinette, WI 54143-2542  
Telephone: 715-735-7411  
**Contact point** Product Stewardship at 1-715-735-7411  
**E-mail address** psra@tycofp.com

#### 1.5. Emergency Telephone Number

**Emergency telephone** CHEMTREC 001-800-424-9300 or 001-703-527-3887

### 2. Hazards Identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation - Category 1

#### 2.2. Label Elements

**Signal Word**  
DANGER

**Hazard Statements**  
Causes serious eye damage



#### Precautionary Statements

**Prevention**

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

### **2.3. Hazards Not Otherwise Classified (HNOC)**

Not Applicable.

### **2.4. Other Information**

## **3. Composition/information on Ingredients**

### **3.1. Mixture**

The following component(s) in this product are considered hazardous under applicable OSHA(USA)

Chemical name	CAS No.	weight-%
2-(2-Butoxyethoxy)ethanol	112-34-5	5 - 10
D-Glucopyranoside, C9-C11 Oligomer	132778-08-6	1 - 5
Sodium Decyl Sulfate	142-87-0	1 - 5
Polyfluorinated alkyl polyamide	Proprietary	0.1 - 1

## **4. First aid measures**

### **4.1. Description of first aid measures**

<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash skin with soap and water. Get medical attention if irritation develops and persists.
<b>Inhalation</b>	Remove to fresh air. If breathing is difficult, give oxygen. (Get medical attention immediately if symptoms occur.)
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting without medical advice. If swallowed, call a poison control center or physician immediately.

### **4.2. Most Important Symptoms and Effects, Both Acute and Delayed**

**Symptoms** No information available.

### **4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed**

**Note to physicians** Treat symptomatically.

## **5. Fire-fighting measures**

### **5.1. Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **5.2. Unsuitable Extinguishing Media**

None.

### **5.3. Specific Hazards Arising from the Chemical**

None known.

**Hazardous Combustion** Carbon oxides, Fluorinated oxides, Nitrogen oxides (NOx), Oxides of sulfur

**Products****5.4. Explosion Data****Sensitivity to Mechanical Impact** None.**Sensitivity to Static Discharge** None.**5.5. Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****Personal Precautions** Ensure adequate ventilation, especially in confined areas.**For emergency responders** Use personal protection recommended in Section 8.**6.2. Environmental Precautions****Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information.**6.3. Methods and material for containment and cleaning up****Methods for Containment** Prevent further leakage or spillage if safe to do so.**Methods for Cleaning Up** Pick up and transfer to properly labeled containers.**7. Handling and Storage****7.1. Precautions for Safe Handling****Advice on safe handling** Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice.**7.2. Conditions for safe storage, including any incompatibilities****Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.**Incompatible Materials** Strong oxidizing agents. Strong acids. Strong bases.**8. Exposure Controls/Personal Protection****8.1. Control Parameters****Exposure guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL
2-(2-Butoxyethoxy)ethanol 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-	-

ACGIH (American Conference of Governmental Industrial Hygienists) OSHA (Occupational Safety and Health Administration of the US Department of Labor) NIOSH IDLH Immediately Dangerous to Life or Health

**8.2. Appropriate Engineering Controls**

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

**8.3. Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Avoid contact with eyes. Tight sealing safety goggles.

**Skin and Body Protection** Wear protective gloves and protective clothing.

**Respiratory Protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Ventilation** Use local exhaust or general dilution ventilation to control exposure with applicable limits

**8.4. General hygiene considerations**

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

**9. Physical and Chemical Properties****9.1. Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	<b>Color</b>	Light yellow
<b>Odor</b>	Characteristic		
<b>Odor Threshold</b>	No data available		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	7 - 8	
<b>Melting point/freezing point</b>	No data available	
<b>Boiling point / boiling range</b>	No data available	
<b>Flash Point</b>	No data available	
<b>Evaporation Rate</b>	No data available	
<b>Flammability (solid, gas)</b>	No data available	
<b>Flammability limit in air</b>		
<b>Upper flammability limit:</b>	No data available	
<b>Lower flammability limit:</b>	No data available	
<b>Vapor Pressure</b>	No data available	
<b>Vapor Density</b>	No data available	
<b>Specific gravity</b>	No data available	
<b>Water Solubility</b>	No data available	
<b>Solubility in Other Solvents</b>	No data available	
<b>Partition coefficient</b>	No data available	
<b>Autoignition Temperature</b>	No data available	
<b>Decomposition Temperature</b>	No data available	
<b>Kinematic viscosity</b>	No data available	
<b>VOC content (%)</b>	10.41522	
<b>Density</b>	1.02	

**10. Stability and Reactivity****10.1. Chemical Stability**

Stable under recommended storage conditions.

**10.2. Reactivity**

No data available

**10.3. Possibility of hazardous reactions**

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.**10.4. Conditions to Avoid**

Extremes of temperature and direct sunlight.

**10.5. Incompatible Materials**

Strong oxidizing agents. Strong acids. Strong bases.

**10.6. Hazardous decomposition products**

Carbon oxides. Nitrogen oxides (NOx). Oxides of sulfur. Fluorinated oxides.

**11. Toxicological Information****11.1. Information on Likely Routes of Exposure****Product information**

<b>Inhalation</b>	No data available.
<b>Eye Contact</b>	Severely irritating to eyes.
<b>Skin contact</b>	May cause irritation.
<b>Ingestion</b>	No data available.

**Component Information****Acute Toxicity**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-(2-Butoxyethoxy)ethanol 112-34-5	= 5660 mg/kg ( Rat )	= 2700 mg/kg ( Rabbit )	-
Sodium Decyl Sulfate 142-87-0	= 1950 mg/kg ( Rat )	-	-
Polyfluorinated alkyl polyamide	>2000 mg/kg	>2000 mg/kg	>5.11 mg/l

**11.2. Information on Toxicological Effects****Symptoms** No information available.**11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure****Skin Corrosion/Irritation** Irritating to skin.**Serious eye damage/eye irritation** Severely irritating to eyes.

Component Information					
Polyfluorinated alkyl polyamide					
Method	species	Exposure Route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	eye			Class 4 on a 1 to 8 scale according to a

					modified Kay and Calandra classification system. Mild eye irritation
--	--	--	--	--	--

Component Information			
Polyfluorinated alkyl polyamide			
Method	species	Exposure Route	Results
OECD Test No. 429: Skin Sensitisation: Local Lymph Node Assay	mouse	dermal	sensitizing

Component Information		
Polyfluorinated alkyl polyamide		
Method	species	Results
OECD Test No. 473: In vitro Mammalian Chromosome Aberration Test	in vitro	Non-clastogenic to human lymphocytes in vitro.

**Carcinogenicity** No information available.  
**Reproductive Toxicity** No information available.  
**STOT - Single Exposure** No information available.  
**STOT - Repeated Exposure** No information available.  
**Aspiration Hazard** No information available.

**11.4. Numerical Measures of Toxicity - Product information**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 15458 mg/kg  
**ATEmix (dermal)** 37644 mg/kg  
 OTHER INFORMATION

**12. Ecological Information**

**12.1. Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Crustacea
2-(2-Butoxyethoxy)ethanol 112-34-5	EC50 (96h) > 100 mg/L Desmodesmus subspicatus	LC50 (96h) static = 1300 mg/L Lepomis macrochirus	EC50 (48h) > 100 mg/L Daphnia magna
1,2-Propanediol 57-55-6	EC50 (96h) = 19000 mg/L Pseudokirchneriella subcapitata	LC50 (96h) static = 51600 mg/L Oncorhynchus mykiss LC50 (96h) static 41 - 47 mL/L Oncorhynchus mykiss LC50 (96h) static = 51400 mg/L Pimephales promelas LC50 (96h) = 710 mg/L Pimephales promelas	EC50 (48h) Static > 1000 mg/L Daphnia magna
n-Butanol 71-36-3	EC50 (96h) > 500 mg/L Desmodesmus subspicatus EC50 (72h) > 500 mg/L Desmodesmus subspicatus	LC50 (96h) static 100000 - 500000 µg/L Lepomis macrochirus LC50 (96h) static = 1910000 µg/L Pimephales promelas LC50 (96h) static 1730 - 1910 mg/L Pimephales promelas LC50 (96h) flow-through = 1740 mg/L Pimephales promelas	EC50 (48h) = 1983 mg/L Daphnia magna EC50 (48h) Static 1897 - 2072 mg/L Daphnia magna
2-Methyl-2,4-pentanediol 107-41-5	-	LC50 (96h) flow-through 10500 - 11000 mg/L Pimephales promelas LC50 (96h) static = 10000 mg/L Lepomis macrochirus LC50 (96h) flow-through = 8690 mg/L Pimephales promelas LC50 (96h) static = 10700 mg/L Pimephales promelas	EC50 (48h) 2700 - 3700 mg/L Daphnia magna
t-Butanol 75-65-0	EC50 (72h) > 1000 mg/L Desmodesmus subspicatus	LC50 (96h) flow-through 6130 - 6700 mg/L Pimephales promelas	EC50 (48h) = 933 mg/L Daphnia magna EC50 (48h) Static 4607 -

			6577 mg/L Daphnia magna
Sodium chloride 7647-14-5	-	LC50 (96h) flow-through 5560 - 6080 mg/L Lepomis macrochirus LC50 (96h) static = 12946 mg/L Lepomis macrochirus LC50 (96h) static 6020 - 7070 mg/L Pimephales promelas LC50 (96h) semi-static = 7050 mg/L Pimephales promelas LC50 (96h) static 6420 - 6700 mg/L Pimephales promelas LC50 (96h) flow-through 4747 - 7824 mg/L Oncorhynchus mykiss	EC50 (48h) = 1000 mg/L Daphnia magna EC50 (48h) Static 340.7 - 469.2 mg/L Daphnia magna
Sodium Hydrogen Carbonate 144-55-8	-	LC50 (96h) static 8250 - 9000 mg/L Lepomis macrochirus	EC50 (48h) = 2350 mg/L Daphnia magna
Formaldehyde 50-00-0	-	LC50 (96h) flow-through 22.6 - 25.7 mg/L Pimephales promelas LC50 (96h) static = 1510 µg/L Lepomis macrochirus LC50 (96h) static = 41 mg/L Brachydanio rerio LC50 (96h) flow-through 0.032 - 0.226 mL/L Oncorhynchus mykiss LC50 (96h) static 100 - 136 mg/L Oncorhynchus mykiss LC50 (96h) static 23.2 - 29.7 mg/L Pimephales promelas	LC50 (48h) = 2 mg/L Daphnia magna EC50 (48h) Static 11.3 - 18 mg/L Daphnia magna
Hexamethylenetetramine 100-97-0	-	LC50 (96h) flow-through 44600 - 55600 mg/L Pimephales promelas	EC50 (48h) 29868 - 43390 mg/L Daphnia magna
Methylene chloride 75-09-2	EC50 (96h) > 500 mg/L Pseudokirchneriella subcapitata EC50 (72h) > 500 mg/L Pseudokirchneriella subcapitata	LC50 (96h) flow-through 140.8 - 277.8 mg/L Pimephales promelas LC50 (96h) static 262 - 855 mg/L Pimephales promelas LC50 (96h) static = 193 mg/L Lepomis macrochirus LC50 (96h) flow-through = 193 mg/L Lepomis macrochirus	EC50 (48h) Static 1532 - 1847 mg/L Daphnia magna EC50 (48h) = 190 mg/L Daphnia magna
1,3-Dichloropropene 542-75-6	EC50 (96h) 2.45 - 6.45 mg/L Pseudokirchneriella subcapitata EC50 (72h) 3.12 - 10.5 mg/L Pseudokirchneriella subcapitata	LC50 (96h) static 1.52 - 2.68 mg/L Pimephales promelas LC50 (96h) flow-through 0.211 - 0.271 mg/L Pimephales promelas LC50 (96h) static 3.1 - 4.9 mg/L Oncorhynchus mykiss LC50 (96h) semi-static = 4.5 mg/L Oncorhynchus mykiss LC50 (96h) = 2 mg/L Oncorhynchus mykiss LC50 (96h) static 5.1 - 6.8 mg/L Lepomis macrochirus	EC50 (48h) Static 0.063 - 0.129 mg/L Daphnia magna EC50 (48h) = 0.09 mg/L Daphnia magna
4,4'-bis-(sulfostyryl)-biphenyl disodium salt 27344-41-8	EC50 (72h) = 10 mg/L Desmodesmus subspicatus EC50 (96h) 10.0 - 11.0 mg/L Desmodesmus subspicatus	LC50 (96h) static = 76 mg/L Brachydanio rerio	EC50 (48h) = 1000 mg/L Daphnia magna

Polyfluorinated alkyl polyamide					
Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 203: Fish, Acute Toxicity Test	Oncorhynchus mykiss (rainbow trout)	LC50	>14 mg/l	96h	NOEC: 14 mg/L No toxic effects at saturation.
OECD Test No. 201: Freshwater Alga and Cyanobacteria, Growth Inhibition Test	Algae	ErC50	>15 mg/l	72h	Growth rate >15, Yield 13. NOEC: 4.0 mg/L, LOEC: 8.5 mg/L
OECD Test No. 202: Daphnia sp., Acute Immobilization Test	Daphnia magna	EC50	>20 mg/l	48h	NOEC: 20 mg/L No toxic effects at saturation.

**12.2. Persistence and Degradability**

No information available.

**12.3. Bioaccumulation**

No information available.

Chemical name	Partition coefficient
2-(2-Butoxyethoxy)ethanol 112-34-5	1
Sodium Decyl Sulfate 142-87-0	1.72

**12.4. Other Adverse Effects**

No information available

**13. Disposal Considerations****13.1. Waste Treatment Methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Do not reuse container.

**14. Transport Information**

<b>DOT</b>	NOT REGULATED
<b>TDG</b>	NOT REGULATED
<b>MEX</b>	NOT REGULATED
<b>ICAO (air)</b>	NOT REGULATED
<b>IATA</b>	NOT REGULATED
<b>IMDG</b>	NOT REGULATED

**15. Regulatory Information****15.1. International Inventories**

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Does not comply
<b>ENCS</b>	Does not comply
<b>IECSC</b>	Does not comply
<b>KECL</b>	Does not comply
<b>PICCS</b>	Does not comply
<b>AICS</b>	Does not comply

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances



KECL - Korean Existing and Evaluated Chemical Substances  
 PICCS - Philippines Inventory of Chemicals and Chemical Substances  
 AICS - Australian Inventory of Chemical Substances

**15.2. US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
2-(2-Butoxyethoxy)ethanol - 112-34-5	1.0

**SARA 311/312 Hazard Categories**

Acute Health Hazard	yes
Chronic health hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**15.3. US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde - 50-00-0	Carcinogen
Perfluorooctanoic acid - 335-67-1	Developmental Toxicity
Methylene chloride - 75-09-2	Carcinogen
1,3-Dichloropropene - 542-75-6	Carcinogen

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
2-(2-Butoxyethoxy)ethanol 112-34-5	X	-	X
1,2-Propanediol 57-55-6	X	-	X
n-Butanol 71-36-3	X	X	X
Hexamethylenetetramine 100-97-0	X	-	-
Methylene chloride 75-09-2	X	X	X
1,3-Dichloropropene 542-75-6	X	X	X

**16. Other information, including date of preparation of the last revision**

<u>NFPA</u>	Health Hazards 2	Flammability 0	Instability 0	Physical and chemical properties -
<u>HMIS</u>	Health Hazards 2	Flammability 0	Physical Hazards 0	Personal Protection X

Revision date 02-Sep-2022

Revision note No information available.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet